
Overview

QuickSpecs



HP ELITE 7500 MICROTOWER BUSINESS PC (EMEA Only)

- 1. Two external 5.25" drive bays for optional optical drives
- 2. 300W aPFC standard efficiency power supply
- 3. Rear I/O includes: four USB 2.0 ports, SPDIF out, RJ-45 network interface, DVI-I & DVI-D video interfaces, , microphone jack, audio in/out jacks, 7.1 channel audio jacks
- 4. Optional media card reader; front I/O includes two USB 3.0 ports, dedicated headphone output, microphone jack
- 5. Two internal storage drive bays
- 6. Expansion slots include three PCIe x1 slots, one PCIe x16 slot and one PCIe mini-card slot
- 7. USB Optical Mouse
- 8. USB Keyboard
- 9. HP Display (sold separately)



HP Elite 7500 MT Business PC (EMEA only)

QuickSpecs

Overview

At A Glance

- Windows 8 Pro (64-bit), Windows 8 (64-bit), Windows[®] 7 Professional Edition (32- and 64-bit), Windows 7 Ultimate Edition (32 and 64-bit), Windows 7 Home Premium Edition (32 and 64-bit), Windows 7 Home Basic Edition (64-bit), FreeDOS, Ubuntu
- Expandable microtower chassis.
- Intel Z75 Express chipset supporting Intel 2nd and 3rd generation Core processors featuring Intel HD Graphics
- Integrated Realtek 8111E Gigabit Ethernet Controller
- DDR3 Synchronous Dynamic Random Access Memory (SDRAM)
- Dual independent monitor support via DVI-I and DVI-D video interfaces
- 300W aPFC standard efficiency power supply
- Tool-less serviceability features for easier upgrades and repairs
- Protected by HP Services; terms and conditions vary by country; certain restrictions and exclusions apply



Standard Features and Configurable Modules

CHIPSET

Intel[®] Z75 Express

PROCESSOR

Intel Celeron

Intel Celeron G540 Processor (2.5 GHz, 2 MB cache) Intel Celeron G550 Processor (2.6 GHz, 2 MB cache)

Intel Pentium

Intel Pentium G640 Processor (2.8 GHz, 3 MB cache) Intel Pentium G860 Processor (3.0 GHz, 3 MB cache) Intel Pentium G870 Processor (3.1 GHz, 3 MB cache)

Intel Core i3

Intel Core i3-2120 Processor (3.3 GHz, 3 MB cache)

Intel Core i5

Intel Core i5-3330 Processor (3.0 GHz, 6 MB cache) Intel Core i5-3450 Processor (3.1 GHz, 6 MB cache) Intel Core i5-3550 Processor (3.3 GHz, 6 MB cache) Intel Core i5-3570 Processor (3.4 GHz, 6 MB cache)

Intel Core i7

Intel Core i7-3770 Processor (3.4 GHz, 8 MB cache)

NOTE: Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families.

NETWORKING/COMMUNICATIONS

Integrated Realtek 8111E Gigabit Ethernet Controller Wireless NIC 802.11 a/b/g/n 2x2 DB mini Card with Bluetooth Wireless NIC 802.11 b/g/n 1x1 mini Card Wireless NIC 802.11 b/g/n 1x1 SB mini Card with Bluetooth Wireless NIC 802.11 g/n 1x1 mini Card



Standard Features and Configurable Modules

GRAPHICS

Intel HD Graphics (integrated; varies by processor) AMD Radeon HD 7450 1GB DDR3 FH graphics card AMD Radeon HD 7570 2GB DDR3 FH graphics card NVIDIA GeForce GT 520 1GB DDR3 FH graphics card NVIDIA GeForce GT 530 2GB DDR3 FH graphics card NVIDIA GeForce GT 545 3GB DDR3 FH graphics card NVIDIA GeForce GT 620 1GB DDR3 FH graphics card NVIDIA GeForce GT 630 2GB DDR3 FH graphics card NVIDIA GeForce GT 640 3GB DDR3 FH graphics card

AUDIO/MULTIMEDIA

High Definition Audio (all ports are stereo) Codec can support 24-bit file format, and the default sample rate for playback device is 24 bit. Microphone* and headphone front ports (3.5mm) Line-out and Line-in rear ports* (3.5mm) Beats Audio™

STORAGE

128GB SATA Solid State Drive 256GB SATA Solid State Drive

500GB 7200 RPM SATA Hard Disk Drive 750GB 7200 RPM SATA Hard Disk Drive 1TB 7200 RPM SATA Hard Disk Drive 1.5TB 5400 RPM SATA Hard Disk Drive 1.5TB 7200 RPM SATA Hard Disk Drive 2TB 5400 RPM SATA Hard Disk Drive 3TB 5400 RPM SATA Hard Disk Drive 3TB 7200 RPM SATA Hard Disk Drive

MEDIA DEVICES

15-in-1 Media Card Reader SuperMulti DVD-RW Drive Blu-ray Writer Drive



Standard Features and Configurable Modules

KEYBOARDS AND POINTING DEVICES

USB Keyboard USB Optical Mouse

SYSTEM MEMORY

2GB DDR3-1600 DIMM (1x2GB) 4GB DDR3-1600 DIMM (1x4GB) 6GB DDR3-1600 DIMM (4GB+2GB) 8GB DDR3-1600 DIMM (2x4GB) 16GB DDR3-1600 DIMM (4x4GB)

SECURITY

HP ProtectTools Security Suite for Small & Medium sized businesses SATA port disablement (via BIOS) Drive lock Removable media write/boot control Power-On password (via BIOS) Setup password (via BIOS) Support for chassis padlocks and cable lock devices

PORTS

Front I/O Ports Two (2) USB 3.0 ports (front) One (1) microphone in; one (1) headphone out Rear I/O Ports Four (4) USB 2.0 ports One (1) DVI-I video output One (1) DVI-D video output One (1) RJ45 network connection One (1) audio in; 5.1 / 7.1 audio channel out; one (1) microphone in (rear)

BAYS

One (1) 3.5" Media Card Reader Bay Two (2) 5.25" Optical Disc Drive Bays Two (2) 3.5" Storage Drive Bays



Standard Features and Configurable Modules

SLOTS

Three (3) PCI Express x1 Accessory Slots One (1) PCI Express x16 Graphics Slot One (1) PCI Express mini-Card Slot

SERVICE AND SUPPORT

1 year standard on-site warranty and service: This limited warranty and service offering delivers parts, labor and on-site repair. Optional terms available up to 3 years. Response time is next business day and includes free telephone support 24 x 7. Global coverage ensures any product purchased in one country and transferred to another non-restricted country will remain fully covered under the original warranty and service offering. Some countries/regions do not offer one year onsite and labor.



Operating Systems and Software

OPERATING SYSTEMS

Preinstalled

Windows 8 Pro (64-bit)* Windows 8 (64-bit)* Windows® 7 Ultimate (32-bit or 64-bit)** Windows® 7 Professional (32-bit or 64-bit)** Windows® 7 Home Premium (32-bit or 64-bit)** Windows® 7 Home Basic (64-bit)** Windows® Starter (32-bit)** FreeDOS Ubuntu

For all Preinstalled operating systems HP provides Microsoft WHQL certified (where applicable) drivers on www.hp.com at the time of product announcement.

*Not all features are available in all editions of Windows 8. Systems may require upgraded and/or separately purchased hardware, drivers and/or software to take full advantage of Windows 8 functionality. See http://www.microsoft.com.

**Not all features are available in all editions of Windows 7. This system may require upgraded and/or separately purchased hardware to take full advantage of Windows 7 functionality. See http://windows.microsoft.com/en-us/windows7/products/home for details.

SOFTWARE

Preinstalled (varies by country)

(Buy Office)

Browser and Toolbars

- Internet Explorer 10
- Norton Toolbar

Productivity

• Buy Office

Optical Disc Drive Playback and TV Tuners

- CyberLink PowerDVD
- Avermedia TV app
- Hauppauge TV app

Windows[®] Live™

- Movie Maker
- Writer
- Photo Gallery

Windows 8 applications

- Mail
- Calendar

Operating Systems and Software

- People
- SkyDrive
- Photos
- Messaging

Photos and Videos

- CyberLink YouCam
- CyberLink Media Suite
- CyberLink Power2Go
- CyberLink Label Print

A/V Integration

• HP Connected Remote

Audio Post Processing

• Beats Audio™

Games

• HP Games by WildTangent

Communication

- Broadband connection utility
- HP MyRoom

Utilities and Support

- HP Online User Guide
- HP Recovery Manager
- HP Support Assistant
- HP MyDisplay
- HP ePrint (driver)

Technical Specifications

Unit Environment and Operating Conditions

General Unit Operating Guidelines

- Keep the computer away from excessive moisture, direct moisture and the extremes of heat and cold, to ensure that unit is operated within the specified operating range.
- Leave a 10.2 cm (4 in) clearance on all vented sides of the computer to permit the required airflow.
- Never restrict airflow into the computer by blocking any vents or air intakes.
- Do not stack computers on top of each other or place computers so near each other that they are subject to each other's recirculated or preheated air.
- Occasionally clean the air vents on the front, back, and any other vented side of the computer. Lint, dust and other foreign matter can block the vents and limit the airflow.
- If the computer is to be operated within a separate enclosure, intake and exhaust ventilation must be provided on the enclosure, and the same operating guidelines listed above will still apply.

Temperature Range	Operating: 32° to 104° F (0° to 40° C)* Non-operating: -22° to 149° F(-30° to 65° C)
Relative Humidity	Operating: 10% to 90% (non-condensing at ambient) Non-operating: 5% to 95% (non-condensing at ambient)
Maximum Altitude (unpressurized)	Operating: 10,000 ft (3048 m) Non-operating: 30,000 ft (9144 m)

* Operating temperature is de-rated 1.0 deg C per 300 m (1000 ft) to 3000 m (10,000 ft) above sea level, no direct sustained sunlight. Maximum rate of change is 10 deg C/Hr. The upper limit may be limited by the type and number of options installed.

Power Supply

300W active PFC; standard efficiency; 200-240 VAC; 50/60 Hz Power Cord Length: 6.0 ft. (1.83 m)

WEIGHTS & DIMENSIONS (configured with 1 HDD and 1 ODD)

Chassis	14.37 x 6.50 x 14.69 in
(H x W x D)	365 x 165 x 373 mm
System Volume	1,372.12 cu in (22.46 L)
Packaging	10.31 x 20.55 x 19.61 in
(H x W x D)	262 x 522 x 498mm
System Weight*	21.16 lbs / 9.60 kgs
Shipping Weight*	27.56 lb/12.5 kg

INTEL HD GRAPHICS

VGA Controller	Integrated
DisplayPort	1.1a; integrated, multimode capable; supports HDCP and audio over DisplayPort
Bus Type	PCI Express x16
RAMDAC	Integrated, 350 MHz
	Intel graphics do not have dedicated memory but utilizes some of the computer's system memory The amount of memory used for graphics depending on the amount of system



Technical Specifications

Memory	memory installed, BIOS settings, operating system, and system load. 32 MB is pre-allocated for graphics use at system boot time. Additional memory can be allocated at boot time by the BIOS for PAVP (Protected Audio Video Playback) support for playback of protected video content.	
Maximum Graphics Memory	Additional memory is allocated for graphics as Technology (DVMT), to provide an optimal bala Microsoft Windows XP Up to 1GB NOTE: the actual amount of maximum graphic	ance between graphics and system memory use. Microsoft Windows 7 Up to 1.7GB
HW Video Decode Maximum Color Depth	above depending upon your computer's config AVC/VC1/MPEG2/JPEG/MJPEG/PAVP 32 bits/pixel 3rd Generation Core processors:	
Graphics/Video API Support	enabling substantial gains in performan support. • Next Generation Intel Clear Video Techn	at improve the end user's viewing experience nt including Blu-ray Disc ber, more colorful images tent using HDMI (V.1.4 with 3D) ort for accelerating video processing port Support
	 Encode/transcode HD content Playback of high definition contee Superior image quality with sharp Playback of Blu-ray disc S3D content DirectX Video Acceleration (DXVA) support Full AVC/VC1/MPEG2 HW Decode Advanced Scheduler 2.0, 1.0, XPDM support Windows 7, XP, Windows Vista, OSX, Line DirectX 10.1, DirectX 10, DirectX 9 support 	ace and lower power consumption. ology HD support is a collection of video at improve the end user's viewing experience. Int including Blu-ray Disc ber, more colorful images tent using HDMI (V.1.4 with 3D) ort for accelerating video processing port ux OS Support ort
NOTE: other resolutions may	Supported Display Resolutions and Refrest be available but are not recommended as they may	



Technical Specifications

Resolution	Analog	Digital
640x480	85	60
800x600	85	60
1024x768	85	60
1280x720	85	60
1280x1024	85	60
1440x900	75	60
1600x1200	85	60
1680x1050	75	60
1920x1080	85	60-R
1920x1200	85	60-R
1920x1440	85	N/A
2048x1536	75	N/A
2560x1600	N/A	60*

* Only supported when using a DisplayPort connection

NOTE: Other resolutions may be available but are not recommended as the may not have been tested and qualified by HP **NOTE:** 60-R denotes reduced blanking timings are used on single-link DVI connections and may be used with other digital connections

ENVIRONMENTAL INFORMATION

Eco-Label Certifications & This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:

IT ECO declaration

System Configuration The configuration used for the Energy Consumption and Declared Noise Emissions data for the Micro tower Desktop model is based on a typically configured product.

Energy Consumption	115 VAC	230 VAC	100 VAC
Normal Operation	33.81 W	34.05 W	N/A
Sleep (Energy Star low power mode)	1.85 W	1.85 W	N/A
Off	0.92 W	0.92 W	N/A
Heat Dissipation*	115 VAC	230 VAC	100 VAC
Normal Operation	116 BTU/Hr	116 BTU/Hr	N/A
Sleep	6 BTU/Hr	6 BTU/Hr	N/A
Off	3 BTU/Hr	3 BTU/Hr	N/A
	* Heat dissipation is calculated bas	sed on the measured watts, assumi	ng the service level is attained for

one hour.

Declared Noise Emissions (in accordance with ISO 7779 and ISO 9296)

System Fan on with active graphic card

Sound Power (LWAd, bels) Sound Pressure (LpAm, decibels)



Idle	4.03	29
Fixed Disk (random writes)	4.1	30
(random writes) Longevity and Upgrading	This product can be upgraded, possibly extending its use and/or components contained in the product may include	
	 Intel LGA775 processor socket 8 USB ports 1 empty PCI slot (w/ optional PCI riser card), or 1 empty PCIe x16 slot (w/optional PCIe riser card) 1 internal drive slot 1 Slimline optical drive slot 3 memory slots 	
	Spare parts are available throughout the warranty period production.	d and or for up to "5" years after the end of
Batteries	This battery(s) in this product comply with EU Directive 2	006/66/EC
	Batteries used in the product do not contain:	
	 Mercury greater the 5ppm by weight Cadmium greater than 10ppm by weight Battery size: CR2032 (coin cell) Battery type: Lithium 	
Additional information	 This product is in compliance with the Restrictions 2002/95/EC. This HP product is designed to comply with the Ward of the second s	
	 Directive - 2002/96/EC. This product is in compliance with California Propo Water and Toxic Enforcement Act of 1986). 	osition 65 (State of California; Safe Drinking
	 Plastics parts weighing over 25 grams used in the ISO1043. 	product are marked per ISO 11469 and
	 This product contains 0% post consumer recycled This product is 94.8% recyclable when properly dist 	
	Packaging Materials	
	 External: PAPER/Corrugated 1565 g Internal: PLASTIC/EPS (Expanded Polystyrene) 212 g]
	 PLASTIC/Polyethylene low density 51 g PLASTIC/EPE-Expanded Polyethylene 275 The PAPER/Corrugated packaging material contain 	ns at least 25% recycled content.
	 The PLASTIC/EPS (Expanded Polystyrene) packagi content. The PLASTIC/Polyethylene low density packaging The PLASTIC/EPE-Expanded Polyethylene packagi 	ng material contains at least 0% recycled material contains at least 0% recycled cont
	content.	



Technical Specifications

	including the European Union Restriction of Hazardous Substances (RoHS) Directive. HP's goal is to exceed compliance obligations by meeting the requirements of the RoHS Directive on a worldwide basis. By July 1, 2006, RoHS substances will be virtually eliminated (virtually = to levels below legal limits) for all HP electronic products subject to the RoHS Directive, except where it is widely recognized that there is no technically feasible alternative (as indicated by an exemption under the EU RoHS Directive).
Material Usage	This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html):
	 Asbestos Certain Azo Colorants Certain Brominated Flame Retardants - may not be used as flame retardants in plastics Cadmium Chlorinated Hydrocarbons Chlorinated Paraffins Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead carbonates and sulfates Lead and Lead compounds Mercuric Oxide Batteries Nickel - finishes must not be used on the external surface designed to be frequently handled or carried by the user. Ozone Depleting Substances Polybrominated Biphenyl (PBBs) Polybrominated Biphenyl (PBBs) Polybrominated Biphenyl Oxides (PBBCs) Polybroninated Biphenyl (PCB) Polychlorinated Terphenyls (PCT) Polyvinyl Chloride (PVC) - except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging	HP follows these guidelines to decrease the environmental impact of product packaging:
	 Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. Eliminate the use of ozone-depleting substances (ODS) in packaging materials. Design packaging materials for ease of disassembly. Maximize the use of post-consumer recycled content materials in packaging materials. Use readily recyclable packaging materials such as paper and corrugated materials. Reduce size and weight of packages to improve transportation fuel efficiency. Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
End-of-life Management and Recycling	Hewlett-Packard offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.
	The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is



Technical Specifications

	posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.
Hewlett-Packard	For more information about HP's commitment to the environment:
Corporate Environmental	Global Citizenship Report
Information	http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html
	Eco-label certifications
	http://www.hp.com/hpinfo/globalcitizenship/environment/productdesign/ecolabels.html
	ISO 14001 certificates:
	http://www.hp.com/hpinfo/globalcitizenship/environment/operations/envmanagement.html

All rights reserved. Microsoft, Windows and Windows 7 are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. Intel and Core are registered trademarks or trademarks of Intel Corporation in the U.S. and/or other countries. Bluetooth is a registered trademark of Bluetooth SIG, Inc., in the U.S. and other countries. All other product names mentioned herein may be trademarks of their respective companies.

The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind. The warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

